



Rajendra Chopra 📞 90222 29911 • **Ajit Chopra** 📞 98190 22255 • **Punit Chopra** 📞 93226 63666

Cable Div. 📞 80800 45000 • **Cable & Fan Div** 📞 99871 22299 • **Accounts Div.** 📞 85911 67611 • 📞 86550 20121

PRICE-LIST • Dated : 3rd APRIL 2024 • W.E.F. : 4th APRIL 2024 • LP NO. 01/2024-25

FR / PVC INSULATED INDUSTRIAL FLEXIBLE CABLE

POLYCAB FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts
(RATE PER METER)

POLYCAB PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010
(RATE PER METER)

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	SINGLE CORE	PKG.	2 CORE	3 CORE	4 CORE	2 CORE to 4 CORE PKG.	5 CORE	6 CORE
0.50	16/0.20	05	11.60	24	31.55	43.25	55.35	5	69.60	83.20
0.75	24/0.20	08	16.50	24	42.20	58.30	76.00	5	98.10	118.00
1.00	32/0.20	13	21.00	20	52.85	75.50	96.60	5	127.00	151.50
1.50	30/0.25	17	30.40	16	72.05	103.00	135.00	5	171.00	211.00
2.50	50/0.25	24	50.00	12	119.00	164.00	219.00	4	284.00	340.00
4.00	56/0.30	30	78.10	8	174.00	251.00	329.00	1	447.00	536.00
6.00	84/0.3	38	116.00	6	255.00	370.00	487.00	1	658.00	791.00
10.00	80/0.4	52	200.00	1	439.00	641.00	838.00	1	1132.00	-----
16.00	126/0.4	70	314.00	1	694.00	1009.00	1330.00	-	1737.00	-----
25.00	196/0.4	88	496.00	1	1145.00	1659.00	2191.00	-	3128.00	-----
35.00	276/0.4	110	694.00	1	1594.00	2304.00	3045.00	-	4285.00	-----
50.00	396/0.4	145	1002.00	1	2264.00	3282.00	4334.00	-	6202.00	-----
70.00	354/0.5	215	1416.00	1	3216.00	4553.00	6018.00	-	8479.00	-----
95.00	484/0.5	260	1869.00	1	(FRLS) +	6580.00	8681.00	-	-----	-----
120.00	608/0.5	305	2395.00	-	(FRLS) +	8355.00	11029.00	-	-----	-----
150.00	750/0.5	355	3000.00	-	(FRLS) +	10445.00	13786.00	-	-----	-----
185.00	925/0.5	415	3732.00	-	(FRLS) +	12864.00	17002.00	-	-----	-----
240.00	1210/0.5	500	4870.00	-	(FRLS) +	16605.00	21980.00	-	-----	-----
300.00	1527/0.5	585	6096.00	-	(FRLS) +	20721.00	27439.00	-	-----	-----
400.00	2036/0.5	695	8121.00	-	(FRLS) +	27609.00	36345.00	-	-----	-----

POLYCAB PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts
(RATE PER METER)

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	05	93.00	111.00	138.00	161.00	186.00	211.00	246.00	310.00
0.75	24/0.20	08	134.00	157.00	195.00	229.00	266.00	303.00	356.00	445.00
1.00	32/0.20	13	171.00	202.00	249.00	295.00	345.00	392.00	460.00	578.00
1.50	30/0.25	17	240.00	276.00	349.00	412.00	483.00	560.00	652.00	834.00
2.50	50/0.25	24	389.00	464.00	573.00	688.00	795.00	909.00	1056.00	1364.00
4.00	56/0.30	30	645.00	-----	-----	-----	-----	-----	-----	-----



Rajendra Chopra 📞 90222 29911 • Ajit Chopra 📞 98190 22255 • Punit Chopra 📞 93226 63666

Cable Div. 📞 80800 45000 • Cable & Fan Div 📞 99871 22299 • Accounts Div. 📞 85911 67611 • 📞 86550 20121

PRICE-LIST • Dated : 3rd APRIL 2024 • W.E.F. : 4th APRIL 2024 • LP NO. 01/2024-25

FRLS INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL FLEXIBLE CABLE

FRLS MULTICORE INDUSTRIAL FLEXIBLE CABLE

POLYCAB FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts. (0.5 to 70 SQ. MM. 100 Mtr. Pkg). **(RATE PER METER)**

POLYCAB FRLS Insulated Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with bright Annealed Copper Conductor for Voltage Grade 1100 Volts. **(100 Meters Packing) (RATE PER METER)**

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	SINGLE CORE	PKG. SINGLE CORE	2 CORE	3 CORE	4 CORE	PKG. 2-4 CORE
0.50	16/0.20	05	11.85	24	33.55	45.20	57.35	5
0.75	24/0.20	08	16.85	24	44.70	60.85	78.50	5
1.00	32/0.20	13	21.35	20	55.30	78.20	99.50	5
1.50	30/0.25	17	30.65	16	75.00	106.50	137.75	5
2.50	50/0.25	24	50.40	12	123.00	168.00	224.00	4
4.00	56/0.30	30	78.70	8	180.00	255.00	335.00	-
6.00	84/0.3	38	117.00	6	263.00	377.00	494.00	-
10.00	80/0.4	52	201.00	1	450.00	650.00	852.00	-
16.00	126/0.4	70	320.00	1	711.00	1031.00	1358.00	-
25.00	196/0.4	88	503.00	1	1168.00	1692.00	2234.00	-
35.00	276/0.4	110	700.00	1	1627.00	2350.00	3108.00	-
50.00	396/0.4	145	1011.00	1	2310.00	3348.00	4420.00	-
70.00	354/0.5	215	1431.00	1	3280.00	4643.00	6140.00	-

SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 200 / 300 METER

POLYCAB FR/FRLS Insulated Single Core Unsheathed Industrial (Multistrand) Cables - Flame Retardant Lead Free (FRLF) / Heat Resistant Flame Retardant Low Smoke Halogen - Lead Free Conforming To Is-694:1990 With Bright Annealed Electrolytic Bare Copper Conductor For Voltage **(RATE PER COIL)**

PRICE-LIST

Dated : 3rd APRIL 2024 • W.E.F. : 4th APRIL 2024 • LP NO. 01/2024-25

SQ. MM.	AMP.	FR-LF		FRLS-H		GREEN WIRES		COIL PER BOX
		300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	
1.00	12	6390	-----	6580	-----	6675	-----	8
1.50	16	9400	-----	9680	-----	9810	-----	6
2.50	22	15250	-----	15715	-----	15940	-----	4
4.00	29	-----	15675	-----	16160	-----	16385	4
6.00	37	-----	23450	-----	24165	-----	24515	3
10.00	45	-----	41100	-----	42305	-----	42920	1
16.00	68	-----	64505	-----	66410	-----	67375	1



Rajendra Chopra 📞 90222 29911 • **Ajit Chopra** 📞 98190 22255 • **Punit Chopra** 📞 93226 63666

Cable Div. 📞 80800 45000 • **Cable & Fan Div.** 📞 99871 22299 • **Accounts Div.** 📞 85911 67611 • 📞 86550 20121

PRICE-LIST • Dated : 3rd APRIL 2024 • W.E.F. : 4th APRIL 2024 • LP NO. 01/2024-25

POLYCAB INDUSTRIAL COPPER BRAIDED (SCREENED) CABLES

POLYCAB Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. **(RATE PER METER)**

CORES	SQ. MM.										
	0.5	0.75	1.0	1.5	2.5	4	6	10	16	25	35
2	96.00	117.00	133.00	161.00	246.00	335.00	472.00	-----	-----	-----	-----
3	112.00	144.00	180.00	223.00	327.00	516.00	720.00	1091.00	1650.00	3109.00	4081.00
4	138.00	180.00	219.00	274.00	413.00	630.00	877.00	1468.00	2368.00	3748.00	5188.00
6	186.00	246.00	288.00	389.00	622.00	-----	-----	-----	-----	-----	-----
7	201.00	283.00	327.00	431.00	703.00	-----	-----	-----	-----	-----	-----
8	233.00	335.00	372.00	497.00	734.00	-----	-----	-----	-----	-----	-----
10	295.00	369.00	495.00	624.00	821.00	-----	-----	-----	-----	-----	-----
12	335.00	417.00	530.00	703.00	960.00	-----	-----	-----	-----	-----	-----
14	369.00	495.00	622.00	842.00	1154.00	-----	-----	-----	-----	-----	-----
16	396.00	576.00	698.00	929.00	1358.00	-----	-----	-----	-----	-----	-----
19	472.00	683.00	825.00	1154.00	1754.00	-----	-----	-----	-----	-----	-----
24	569.00	762.00	1035.00	1415.00	2199.00	-----	-----	-----	-----	-----	-----

BUILDING MANAGEMENT SYSTEM CABLE (BMS)

POLYCAB Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables. **(MINIMUM ORDER OF 100 MTR.) (RATE PER MTR.)**

CORES	0.5 SQ.MM.	0.75 SQ.MM.	1.0 SQ.MM.	1.5 SQ.MM.	2.5 SQ.MM.
2	51.75	65.50	78.60	102.50	161.00
3	63.65	86.45	104.80	139.00	223.00
4	79.10	105.10	134.00	179.00	281.00
5	97.00	131.00	160.00	217.00	356.00
6	112.00	149.00	186.00	262.00	427.00
7	123.00	173.00	215.00	294.00	506.00
8	139.00	188.00	241.00	330.00	563.00
10	166.00	233.00	294.00	408.00	689.00
12	196.00	273.00	349.00	484.00	846.00

SOLID ALUMINIUM CONDUCTOR FLAT SERVICE CABLES

POLYCAB PVC Insulated and Sheathed Twin Core Flat & Three Core Round Cables 1100 Volts each Core having Single Solid Aluminium Conductor Service Cables As Per Is 694

CORES	SQ. MM.	RATE PER METER
2	2.5	62.55
2	4	83.75
2	6	111.25
2	10	161.70

SOLAR DC CABLE

ATC Conductor LSOH Outersheath(Type-1) (Black Colour With Red Strip/Black Colour) in Coil of 500 Mtrs.

SIZE IN SQ. MM.	RATE PER METER
4	84.70
6	124.50

INDUSTRIAL WELDING CABLES

POLYCAB Annealed Bare Copper Conductor Flexible Welding Cable Generally Confirming to IS 9857

CONDUCTOR AREA SQ. MM.	CURRENT CARRYING CAPACITY	RATE PER METER	CONDUCTOR AREA SQ. MM.	CURRENT CARRYING CAPACITY	RATE PER METER
16.00	120	389.00	70.00	600	1632.00
25.00	160	602.00	95.00	700	2164.00
35.00	230	828.00	120.00	1100	2779.00
50.00	400	1175.00	-----	-----	-----

DISTRIBUTORS :

POLYCAB
IDEAS. CONNECTED.
WIRES & CABLES



Ajit Power Solutions Private Limited

29, Ismail Building, Pathakwadi, Lohar Chawl, MUMBAI-400 002.
Tel : +91 22 2205 1994 • 2206 6001-2-3 • Hotline : *7284 | *7458
E-mail: info@ajitpspl.com • www.ajitpspl.com

7

Rajendra Chopra 📞 90222 29911 • Ajit Chopra 📞 98190 22255 • Punit Chopra 📞 93226 63666

Cable Div. 📞 80800 45000 • Cable & Fan Div 📞 99871 22299 • Accounts Div. 📞 85911 67611 • 📞 86550 20121

PRICE-LIST • Dated : 28th MARCH 2024 • W.E.F. : 4th APRIL 2024 • LP NO. 07/2023-24

SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 90 METER

**POLYCAB OPTIMA+ FR-LF (FLAME RETARDANT LEAD FREE)
PREMIUM POWER SAVING AND LONG LASTING WIRES, Confirming to IS 694:2010**


SQ. MM.	AMP.	FR-LF 90 Mtr. BOX PKG.	COIL PER BOX
1.00	12	1775.00	24
1.50	16	2595.00	16
2.50	22	4100.00	12
4.00	29	6000.00	8
6.00	37	8950.00	6
10.00	45	13380.00	1
16.00	68	21110.00	1



• Premium Power Saving Wires, Class-2 Construction • 99.97% Hi-Purity Electrolytic Grade Copper • RoHS & REACH Compliant

**POLYCAB MAXIMA+ EXTRA SAFE, LOW SMOKE WIRES (GREEN WIRE-HR-FR-LSH-LF)
HR FR LSH LF - Heat Resistance Flame Retardant Low Smoke Halogen Lead Free Confirming to IS 694:2010**

SQ. MM.	AMP.	HR-FR-LSH-LF 90 Mtr. BOX PKG.	COIL PER BOX
1.00	12	1865.00	24
1.50	16	2725.00	16
2.50	22	4285.00	12
4.00	29	6260.00	8
6.00	37	9365.00	6
10.00	45	16470.00	1
16.00	68	24360.00	1



Product Features : • Flame Retardant • Smooth Surface with enhances Lubrication Properties
• High Insulation resistance • High Abrasion Resistance • RoHS Compliant

**POLYCAB ETIRA FLAME RETARDANT WIRES SUPERIOR QUALITY POCKET FRIENDLY PRICE
ETIRA PVC Insulated SINGLE CORE Unsheathed INDUSTRIAL (MULTISTRAND) CABLES FLAME RETARDANT (FR)
Conforming to IS-694:2010 with bright annealed Electrolytic bare Copper Conductor of Voltage Grade 1100 Volts.**

SQ. MM.	AMP.	FR 90 Mtr. BOX PKG.	COIL PER BOX
1.00	12	1585.00	24
1.50	16	2320.00	16
2.50	22	3700.00	12
4.00	29	5530.00	8
6.00	37	8475.00	6



TERMS & CONDITIONS :

- (1) The above rates are exclusive of all taxes.
- (2) Subject to change without prior notice.
- (3) This cancels all our previous price-lists.

OUR BANK DETAILS

Name : AJIT POWER SOLUTIONS PRIVATE LIMITED
Bank Name : STANDARD CHARTERED BANK,
Branch : Powai, Mumbai - 400076.
Current A/c No. : 23505074367 • IFSC Code : SCBL0036060

DISTRIBUTORS :

POLYCAB
IDEAS. CONNECTED.
WIRES & CABLES



Ajit Power Solutions Private Limited

29, Ismail Building, Pathakwadi, Lohar Chawl, MUMBAI-400 002.
Tel : +91 22 2205 1994 • 2206 6001-2-3 • Hotline : *7284 | *7458
E-mail: info@ajitpspl.com • www.ajitpspl.com

7

Rajendra Chopra 📞 90222 29911 • Ajit Chopra 📞 98190 22255 • Punit Chopra 📞 93226 63666

Cable Div. 📞 80800 45000 • Cable & Fan Div. 📞 99871 22299 • Accounts Div. 📞 85911 67611 • 📞 86550 20121

PRICE-LIST • Dated : 28th MARCH 2024 • W.E.F. : 4th APRIL 2024 • LP NO. 07/2023-24

SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 90 METER

POLYCAB LAN (COMPUTER) CABLES

TYPE	UNARMOURED		ARMOURED Rate Per Mtr
	SPEED & COLOUR	Rate Per 305 MTRS	
CAT-5	SPEED 1 GBPS for 250 MHZ GREY COLOUR	10770.00	----
CAT-6 UTP	SPEED 1 GBPS for 250 MHZ • GREY BLUE / YELLOW COLOUR	11310.00	99.70
CAT-6A UTP	SPEED 10 GBPS for 500 MHZ YELLOW COLOUR	13800.00	----
CAT-6 FTP	SPEED 1 GBPS for 250 MHZ GREY COLOUR	17850.00	----




Supports Gigabit Ethernet Standard

Higher bandwidth and lower signal loss

Effective transmission of high speed data

Efficient video and voice streaming



POLYCAB INDUSTRIAL JELLY FLOODED CO-AXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

TYPE	UNARMOURED		ARMOURED RATE PER MTR
	RATE PER 100 MTR	RATE PER 305 MTR.	
RG - 59	2070.00	6315.00	-----
RG - 6	2600.00	7950.00	85.65
RG - 11	5925.00	18100.00	133.60
RG - 06 CCS	1685.00	5125.00	-----
RG - 11 CCS	3385.00	10320.00	-----



Minimum loss in signal strength for better reception

Higher bandwidth: larger network coverage

Low attenuation value : less electromagnetic interference

Minimal Structural Return Loss

Moisture Proof

POLYCAB CCTV CABLES

SIZE	UNARMOURED 90 MTRS.	UNARMOURED 180 MTRS.	UNARMOURED 300 MTRS.
3 + 1	3400.00	6800.00	11333.00
4 + 1	3700.00	7400.00	12333.00

SIZE	ARMOURED RATE PER MTRS
4 + 1	116.20



POLYCAB SUBMERSIBLE CABLES

Polycab PVC insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor of Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

CONDUCTOR AREA SQ. MM.	RATE PER METER	CONDUCTOR AREA SQ. MM.	RATE PER METER
1.50	88.00	10.00	516.55
2.50	136.60	16.00	799.00
4.00	201.30	25.00	1250.00
6.00	296.80	35.00	1730.00




Tough & Flexible Cables

Highest Quality electrolytic grade copper

PVC High abrasion resistance

Excellent moisture resistance



DISTRIBUTORS :

POLYCAB
IDEAS. CONNECTED.
WIRES & CABLES



Ajit Power Solutions Private Limited

29, Ismail Building, Pathakwadi, Lohar Chawl, MUMBAI-400 002.
Tel : +91 22 2205 1994 • 2206 6001-2-3 • Hotline : *7284 | *7458
E-mail: info@ajitpspl.com • www.ajitpspl.com

7

Rajendra Chopra 📞 90222 29911 • Ajit Chopra 📞 98190 22255 • Punit Chopra 📞 93226 63666

Cable Div. 📞 80800 45000 • Cable & Fan Div. 📞 99871 22299 • Accounts Div. 📞 85911 67611 • 📞 86550 20121

PRICE-LIST • Dated : 28th MARCH 2024 • W.E.F. : 4th APRIL 2024 • LP NO. 07/2023-24

SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 90 METER

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper Industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outler Sheath generally confirming ITD Specification.

NO. OF PAIRS	RATE PER METER		90 METERS		PKG.
	0.4 MM	0.5 MM	0.4 MM	0.5 MM	
2 PAIR	12.00	17.00	1080.00	1530.00	20
3 PAIR	--	25.15	--	2265.00	16
4 PAIR	--	33.20	--	2990.00	12
5 PAIR	--	41.20	--	3710.00	8
10 PAIR	--	80.10	--	7210.00	1
20 PAIR	--	155.00	--	13900.00	1
50 PAIR	--	402.00	--	-----	1
100 PAIR	--	787.00	--	-----	1



Special grade high density polyethylene
 Flame retardant compound
 Virgin grade PVC resin

POLYCAB INDUSTRIAL SPEAKER WIRES

SPEAKER WIRE (Oxygen Free Copper Conductor)

SIZE	RATE PER 90 MTRS.	SIZE	RATE PER 90 MTRS.
23/36	1725.00	70/36	3565.00
40/36	2630.00	70/38	2625.00



Special grade high density polyethylene
 Flame retardant compound
 Virgin grade PVC resin

SIZE	RATE PER 90 MTRS.
1.00 Sq. mm.	3120.00
1.5 Sq. mm.	4635.00
2.5 Sq. mm.	7700.00

POLYCAB LF FR

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFIRMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

SQ. MM.	AMP.	FR-LF / POUCH PKG. 180 Mtr.	COIL PER BOX
1.00	12	3610	12
1.50	16	5265	10
2.50	22	8330	6
4.00	29	12170	4



FLAME RETARDANT
 LEAD FREE PVC INSULATION
 REACH COMPLIANT
 RoHS COMPLIANT
99.97% HIGH PURITY COPPER