



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

PRICE-LIST • Dated : 4th FEBRUARY 2026 • W.E.F. : 9th FEBRUARY 2026

FR / PVC INSULATED INDUSTRIAL FLEXIBLE CABLE



SCAN FOR PRICE LIST

POLYCAB FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts
(RATE PER METER)

POLYCAB PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010
(RATE PER METER)

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	SINGLE CORE	PKG.	2 CORE	3 CORE	4 CORE	2 CORE to 4 CORE PKG.	5 CORE	6 CORE
									FRLS	FRLS
0.50	16/0.20	05	20.40	24	50.65	69.50	88.90	5	115.75	138.82
0.75	24/0.20	08	28.55	24	67.85	94.05	121.05	5	164.00	198.82
1.00	32/0.20	13	35.98	20	86.20	119.50	155.10	5	212.00	254.25
1.50	30/0.25	17	51.71	16	118.00	169.00	219.00	5	289.00	350.00
2.50	50/0.25	24	85.02	12	195.25	267.50	361.00	4	469.00	566.00
4.00	56/0.30	30	131.25	8	287.00	411.00	548.00	1	744.00	890.00
6.00	84/0.3	38	197.00	6	421.00	605.00	804.00	1	1093.00	1315.00
10.00	80/0.4	52	342.00	1	720.00	1058.00	1395.00	1	1887.00	-----
FRLS SINGLE CORE FLEXIBLE CABLE					FRLS MULTICORE FLEXIBLE CABLE					
16.00	126/0.4	70	542.00	1	1161.00	1691.00	2225.00	-	2887.00	-----
25.00	196/0.4	88	843.00	1	1925.00	2796.00	3656.00	-	5240.00	-----
35.00	276/0.4	110	1178.00	1	2678.00	3882.00	5114.00	-	7183.00	-----
50.00	396/0.4	145	1680.00	1	3801.00	5531.00	7302.00	-	10398.00	-----
70.00	354/0.5	215	2375.00	1	5393.00	7674.00	10148.00	-	14221.00	-----
95.00	484/0.5	260	3163.00	1	-----	10670.00	14077.00	-	-----	-----
120.00	608/0.5	305	4160.00	-	-----	13550.00	17882.00	-	-----	-----
150.00	750/0.5	355	5205.00	-	-----	16937.00	22355.00	-	-----	-----
185.00	925/0.5	415	6600.00	-	-----	20858.00	27569.00	-	-----	-----
240.00	1210/0.5	500	8452.00	-	-----	26926.00	35641.00	-	-----	-----
300.00	1527/0.5	585	10576.00	-	-----	33598.00	44490.00	-	-----	-----
400.00	2036/0.5	695	14093.00	-	-----	44767.00	58931.00	-	-----	-----

POLYCAB PVC Insulated, **FRLS** Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts
(RATE PER METER)

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	05	156.00	184.00	230.00	267.50	308.00	351.00	407.00	512.00
0.75	24/0.20	08	222.25	259.25	325.50	380.00	445.00	502.00	593.00	740.00
1.00	32/0.20	13	287.25	334.00	412.00	492.00	571.00	649.00	765.00	956.00
1.50	30/0.25	17	393.00	455.00	580.00	683.00	806.00	931.00	1081.00	1383.00
2.50	50/0.25	24	648.00	770.00	946.00	1135.00	1319.00	1509.00	1747.00	2263.00
4.00	56/0.30	30	1074.00	-----	-----	-----	-----	-----	-----	-----



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611



SCAN FOR PRICE LIST

PRICE-LIST • Dated : 4th FEBRUARY 2026 • W.E.F. : 9th FEBRUARY 2026

FRLS INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL FLEXIBLE CABLE

FRLS MULTICORE INDUSTRIAL FLEXIBLE CABLE

POLYCAB FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts. (0.5 to 70 SQ. MM. 100 Mtr. Pkg). **(RATE PER METER)**

POLYCAB FRLS Insulated Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with bright Annealed Copper Conductor for Voltage Grade 1100 Volts. **(100 Meters Packing) (RATE PER METER)**

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	SINGLE CORE	PKG. SINGLE CORE	2 CORE	3 CORE	4 CORE	PKG. 2-4 CORE
0.50	16/0.20	05	20.80	24	53.90	72.60	92.00	5
0.75	24/0.20	08	29.40	24	71.80	97.90	125.15	5
1.00	32/0.20	13	36.35	20	89.95	124.00	159.00	5
1.50	30/0.25	17	52.10	16	123.00	175.00	223.00	5
2.50	50/0.25	24	86.15	12	200.50	277.00	371.00	4
4.00	56/0.30	30	133.50	8	294.00	421.00	556.00	-
6.00	84/0.3	38	200.00	6	432.00	617.00	815.00	-
10.00	80/0.4	52	351.00	1	731.00	1074.00	1418.00	-

SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 200 / 300 METER

POLYCAB FR/FRLS Insulated Single Core Unsheathed Industrial (Multistrand) Cables - Flame Retardant Lead Free (FRLF) / Heat Resistant Flame Retardant Low Smoke Halogen - Lead Free Conforming To Is-694:1990 With Bright Annealed Electrolytic Bare Copper Conductor For Voltage **(RATE PER COIL)**

SQ. MM.	AMP.	FR-LF		FRLS-H		GREEN WIRES		HFFR		COIL PER BOX
		300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	
1.00	12	11085	-----	11285	-----	11595	-----	11890	-----	8
1.50	16	16205	-----	16525	-----	16925	-----	17420	-----	6
2.50	22	26920	-----	27375	-----	28145	-----	28965	-----	4
4.00	29	-----	27720	-----	28025	-----	28965	-----	29820	4
6.00	37	-----	41155	-----	41660	-----	43030	-----	44250	3
10.00	45	-----	70745	-----	71490	-----	73900	-----	75990	1
16.00	68	-----	111260	-----	112365	-----	116220	-----	119525	1



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611



SCAN FOR PRICE LIST

PRICE-LIST • Dated : 4th FEBRUARY 2026 • W.E.F. : 9th FEBRUARY 2026

POLYCAB INDUSTRIAL COPPER BRAIDED (SCREENED) CABLES

POLYCAB Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts.

(RATE PER METER)

CORES	SQ. MM.										
	0.5	0.75	1.0	1.5	2.5	4	6	10	16	25	35
2	147.00	179.00	202.00	245.00	370.00	551.00	714.00	-----	-----	-----	-----
3	170.00	222.00	274.00	339.00	496.00	780.00	1092.00	1741.00	2502.00	4710.00	6185.00
4	211.00	274.00	333.00	414.00	625.00	954.00	1328.00	2226.00	3588.00	5679.00	7863.00
6	282.00	383.00	437.00	591.00	945.00	-----	-----	-----	-----	-----	-----
7	304.00	426.00	496.00	654.00	1066.00	-----	-----	-----	-----	-----	-----
8	355.00	508.00	563.00	753.00	1112.00	-----	-----	-----	-----	-----	-----
10	449.00	561.00	750.00	947.00	1243.00	-----	-----	-----	-----	-----	-----
12	508.00	633.00	805.00	1066.00	1456.00	-----	-----	-----	-----	-----	-----
14	561.00	750.00	945.00	1277.00	1750.00	-----	-----	-----	-----	-----	-----
16	601.00	872.00	1061.00	1409.00	2059.00	-----	-----	-----	-----	-----	-----
19	714.00	1034.00	1250.00	1750.00	2658.00	-----	-----	-----	-----	-----	-----
24	863.00	1156.00	1568.00	2143.00	3333.00	-----	-----	-----	-----	-----	-----

BUILDING MANAGEMENT SYSTEM CABLE (BMS)

POLYCAB Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables. (MINIMUM ORDER OF 100 MTR.) (RATE PER MTR.)

SOLID ALUMINIUM CONDUCTOR FLAT SERVICE CABLES

POLYCAB PVC Insulated and Sheathed Twin Core Flat & Three Core Round Cables 1100 Volts each Core having Single Solid Aluminium Conductor Service Cables As Per Is 694

CORES	0.5 SQ.MM.	0.75 SQ.MM.	1.0 SQ.MM.	1.5 SQ.MM.	2.5 SQ.MM.
2	83.75	108.50	131.50	171.50	267.25
3	105.00	141.00	172.50	232.00	367.00
4	129.00	173.00	222.00	309.00	466.00
5	157.00	214.00	264.00	357.00	590.00
6	181.00	244.00	304.00	431.00	702.00
7	198.00	286.00	352.00	487.00	830.00
8	228.00	307.00	398.00	544.00	930.00
10	270.00	381.00	489.00	671.00	1136.00
12	320.00	447.00	576.00	802.00	1405.00

CORES	SQ. MM.	RATE PER METER
2	2.5	98.95
2	4	133.00
2	6	175.00
2	10	255.00

SOLAR DC CABLE

ATC Conductor LSOH Outersheath(Type-1) (Black Colour With Red Strip/Black Colour) in Coil of 500 Mtrs.

SIZE IN SQ. MM.	RATE PER METER
4	154.00
6	230.00

INDUSTRIAL WELDING CABLES

POLYCAB Annealed Bare Copper Conductor Flexible Welding Cable Generally Confirming to IS 9857

CONDUCTOR AREA SQ. MM.	CURRENT CARRYING CAPACITY	RATE PER METER	CONDUCTOR AREA SQ. MM.	CURRENT CARRYING CAPACITY	RATE PER METER
16.00	120	646.00	70.00	600	2803.00
25.00	160	1011.00	95.00	700	3692.00
35.00	230	1397.00	120.00	1100	4723.00
50.00	400	1981.00	-----	-----	-----



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

PRICE-LIST • Dated : 4th FEBRUARY 2026 • W.E.F. : 9th FEBRUARY 2026



SCAN FOR PRICE LIST

SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 90 METER

POLYCAB OPTIMA+ FR-LF (FLAME RETARDANT LEAD FREE)
PREMIUM POWER SAVING AND LONG LASTING WIRES, Confirming to IS 694:2010

SQ. MM.	AMP.	FR-LF 90 Mtr. BOX PKG.	COIL PER BOX
1.00	12	2790.00	24
1.50	16	4080.00	16
2.50	22	6455.00	12
4.00	29	9445.00	8
6.00	37	14115.00	6



• Premium Power Saving Wires, Class-2 Construction • 99.97% Hi-Purity Electrolytic Grade Copper • RoHS & REACH Compliant

POLYCAB GREEN WIRE+ EXTRA SAFE, LOW SMOKE WIRES (GREEN WIRE-HR-FR-LSH-LF)
HR FR LSH LF - Heat Resistance Flame Retardant Low Smoke Halogen Lead Free Confirming to IS 694:2010




SQ. MM.	AMP.	HR-FR-LSH-LF 90 Mtr. BOX PKG.	COIL PER BOX
1.00	12	2980.00	24
1.50	16	4350.00	16
2.50	22	6825.00	12
4.00	29	9960.00	8
6.00	37	14950.00	6

Product Features : • Flame Retardant • Smooth Surface with enhances Lubrication Properties
• High Insulation resistance • High Abrasion Resistance • RoHS Compliant

POLYCAB LF FR (180 METERS)
**POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE
FLAME RETARDANT (LF FR) CONFIRMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE
COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS**

SQ. MM.	AMP.	FR-LF / POUCH PKG. 180 Mtr.	COIL PER BOX
1.00	12	5580.00	12
1.50	16	8160.00	10
2.50	22	12910.00	6
4.00	29	18890.00	4





Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

PRICE-LIST • Dated : 4th FEBRUARY 2026 • W.E.F. : 9th FEBRUARY 2026



SCAN FOR PRICE LIST

POLYCAB LAN (NETWORKING) CABLES Conductor is made of electrolytic plain annealed solid copper of size 23AWG, high quality polyethylene insulated with suitable colour code, twisted pair. Unshielded light grey PVC jacketed with improved fire characteristic meeting requirements of TIA/EIA/568-C.2

TYPE	UNARMOURED		ARMOURED Rate Per Mtr
	SPEED & COLOUR	Rate Per 305 MTRS	
CAT-6 UTP	SPEED 1 GBPS for 250 MHZ • GREY BLUE / YELLOW COLOUR	16535.00	145.68
CAT-6A UTP	SPEED 10 GBPS for 500 MHZ YELLOW COLOUR	20125.00	165.25
CAT-6 FTP	SPEED 1 GBPS for 250 MHZ GREY COLOUR	26115.00	159.31



Supports Gigabit Ethernet Standard

Higher bandwidth and lower signal loss

Effective transmission of high speed data

Efficient video and voice streaming



POLYCAB INDUSTRIAL JELLY FLOODED CO-AXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables

Minimum loss in signal strength for better reception

Higher bandwidth: larger network coverage

Low attenuation value: less electromagnetic interference

Moisture Proof

TYPE	UNARMOURED		ARMOURED RATE PER MTR
	RATE PER 100 MTR	RATE PER 305 MTR.	
RG - 59	3115.00	9475.00	-----
RG - 6	3890.00	11970.00	128.75
RG - 11	8905.00	27245.00	200.97
RG - 06 CCS	2550.00	7770.00	-----
RG - 11 CCS	5155.00	15700.00	-----

POLYCAB 3C FLAT SUBMERSIBLE CABLES

Polycab PVC / XLPE Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

CONDUCTOR AREA SQ. MM.	RATE PER METER	CONDUCTOR AREA SQ. MM.	RATE PER METER
1.50	136.30	10.00	814.80
2.50	211.85	16.00	1265.40
4.00	316.30	25.00	1979.40
6.00	468.70	35.00	2741.25

Tough & Flexible Cables

Highest Quality electrolytic grade copper

PVC High abrasion resistance

Excellent moisture resistance

POLYCAB CCTV CABLES

Coaxial cables consisting of solid annealed bare copper conductor of electrolytic grade which is insulated with physical foam PE dielectric, aluminium foil taped, jelly flooded, braided with alloy and then jacketed with UV resistant PVC

Minimal Signal distortion or attenuation

Designed for complete video frequency range

ideal for both indoor & outdoor applications

No reflection & best picture Quality

Alloy braiding for superior performance

SIZE	UNARMOURED 90 MTRS.	UNARMOURED 180 MTRS.	UNARMOURED 300 MTRS.
3 + 1	5165.00	10330.00	17216.66
4 + 1	5610.00	11220.00	18700.00
SIZE	ARMOURED RATE PER MTRS		
4 + 1	176.94		



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611



SCAN FOR PRICE LIST

PRICE-LIST • Dated : 4th FEBRUARY 2026 • W.E.F. : 9th FEBRUARY 2026

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper Industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outler Sheath generally confirming ITD Specification.

NO. OF PAIRS	RATE PER METER		90 METERS		PKG.
	0.4 MM	0.5 MM	0.4 MM	0.5 MM	
2 PAIR	19.25	27.40	1740.00	2470.00	20
3 PAIR	--	40.60	--	3635.00	16
4 PAIR	--	53.50	--	4810.00	12
5 PAIR	--	66.30	--	5980.00	8
10 PAIR	--	128.95	--	11600.00	1
20 PAIR	--	250.10	--	22490.00	1
50 PAIR	--	647.55	--	-----	1
100 PAIR	--	1265.60	--	-----	1



Special grade high density polyethylene
 Flame retardant compound
 Virgin grade PVC resin

POLYCAB INDUSTRIAL SPEAKER WIRES

SPEAKER WIRE (Oxygen Free Copper Conductor)



Special grade high density polyethylene
 Flame retardant compound
 Virgin grade PVC resin

SIZE	RATE PER 90 MTRS.	SIZE	RATE PER 90 MTRS.
23/36	2740.00	70/36	5680.00
40/36	4185.00	-----	-----
SIZE		RATE PER 90 MTRS.	
1.00 Sq. mm.		4985.00	
1.5 Sq. mm.		7400.00	
2.5 Sq. mm.		12290.00	

TERMS & CONDITIONS :

- (1) The above rates are exclusive of all taxes.
- (2) Subject to change without prior notice.
- (3) This cancels all our previous price-lists.

OUR BANK DETAILS

Name : AJIT POWER SOLUTIONS PRIVATE LIMITED

Bank Name : STANDARD CHARTERED BANK,

Branch : Powai, Mumbai - 400076.

Current A/c No. : 23505074367 • IFSC Code : SCBL0036060